Henry Roybal Commissioner, District 1

Anna Hansen
Commissioner, District 2

Rudy N. Garcia
Commissioner, District 3

SANTA FE COUNTY

Anna T. Hamilton Commissioner, District 4

Hank Hughes
Commissioner, District 5

Katherine Miller County Manager

November 4, 2021

SANTA FE COUNTY IFB 2022-0052-FD/APS FIRE HOSE AND LADDER TESTING SERVICES ADDENDUM NO. 1

Dear Proponents,

This addendum is issued to reflect the following immediately. It shall be the responsibility of interested Bidders to adhere to any changes or revisions to the IFB as identified in this Addendum No. 1. This documentation shall become permanent and made part of the departmental files.

THE DEADLINE FOR ALL BIDS HAS BEEN EXTENDED TO:

WEDNESDAY, NOVEMBER 17, 2021 AT 2:00PM

All bids must be submitted to: 102 Grant Avenue (1st Floor), Santa Fe, New Mexico 87501.

The Bid Opening is available online via WebEx Calling (480) 418-9338 meeting number: 2481 986 2405

https://sfco.webex.com/sfco/j.php?MTID=mce62082dbf767d5344a0ce8adda0f390

Question No. 1: What is the \$1,000.00 bid security for?

Answer No. 1: As stated in the IFB – General Terms & Conditions – Number 28

on page 8 "The Bid Security of the successful bidder will be retained until the bidder has executed the Agreement, whereupon the bid security will be returned. If the bidder fails to execute and deliver the Agreement within ten (10) days of Notice of Award, the County may cancel the Notice of Award and the Bid Security of the

bidder will be forfeited."

Please add this Addendum No. 1 to the original proposal documents and refer to proposal documents, hereto as such. This and all subsequent addenda will become part of any resulting contract documents and have effects as if original issued. All other unaffected sections will have their original interpretation and remain in full force and effect. Responders are reminded that any questions or need for clarification must be addressed to Amanda Patterson-Sanchez, Procurement Specialist Senior at apatterson-sanchez@santafecountynm.gov.